

PREMIUM RANGE

ULTIMA

SURFACE REDEFINED



Sustainability Story

Responsible beauty

We believe creating beautiful spaces does not have to be hurting our planet. At Ultima, we're committed to fight climate change. For us, this means taking accountability by putting environmentally conscious production, practices and packaging at the centre of our business model.

Zero liquid discharge

We carry out continuous research, improvements and modifications in our processes to ensure that no toxins or pollutants in the form of liquids or emissions are discharged from our plants.



Responsible forestry

Our products are made from recycled or FSC* and PEFC** certified paper that come from sustainably managed forests, which contribute to combating climate change because of their capacity to remove carbon from the atmosphere and store it.

People- and environment-friendly products

Our laminate production is free of noxious asbestos, copper chromates, arsenate compounds, lead, heavy metals, urea, formaldehyde compounds and restricted hazardous substances. Our products are also compliant with the global emission standards of VOCs^, formalin and other allied chemical constituents as part of our effort to maintain peak indoor air quality.



Effective waste management

The real-time monitoring of our resources significantly reduces processing costs, waste production and disposal expenditure. Together with our waste- paper recycling endeavours, we save 8,000 fully-grown trees every year.



Responsible logistics

We use only fuel-efficient and low-gas emitting vehicles to reduce carbon dioxide emissions.



Optimal indoor air quality

Stringent air monitoring and periodic tests ensure that our internal work environment is at its best



Renewable energy utilisation

We procure various renewable energy resources, including biofuel and solar power, to be used in our laminate production.



Synthetic and petrochemical ingredient reduction

Where possible, synthetic and petrochemical ingredients are substituted with naturally occurring components derived from nature to further lower carbon and VOCs[^] emissions and enhance our laminate handling quality.



Energy and water conservation

We embrace methods that promote environmental protection and renewal, such as our pressurised hot water system designed to scale back groundwater withdrawal, improving energy efficiency.



*FSC: Forest Stewardship Council

**PEFC: Programme for the Endorsement of Forest Certification

[^]VOCs: Volatile Organic Compounds


Kraft Cores



01

Kraft Papers

All Ultima laminates start with layers of A++ Grade kraft papers for durability.



02

Barrier Paper

Next, a sheet of barrier paper goes over the kraft layer. This precautionary step eliminates shadows cast by the kraft layer on lighter-coloured patterns, enhancing the brightness and sharpness of the design.



03

Decor Paper

The decor sheet follows the barrier layer. It features the prints and patterns on our laminates. Ultima's diverse designs come from some of the world's best printers located in Europe. Our dedicated design team thoughtfully curates a collection of décor papers, spanning enduring classics, present trends and inspirations for tomorrow.



04

Overlay Tissue

Finally, each Ultima laminate is topped with a layer of superior overlay tissue, which not only offers an exceptionally even surface colouration but also protects against abrasion levels higher than industry standards.



Environmental credentials

We are proud to exceed the industry benchmark in the area of green certifications. In particular, rigorous tests have shown that Ultima laminates emit minimal levels of VOCs**, which have the potential to adversely impact the health of people that are exposed, and are certified to be suitable for use in environments where children may spend significant periods of time, such as hospitals and clinics.



*Forest Stewardship Council and Programme for the Endorsement of Forest Certification ^National Sanitation Foundation **Volatile Organic Compounds



Certifications

No compromises on quality

We care deeply about the details – of the products we create, and how we make them. Throughout Ultima's entire manufacturing process, we apply the highest standards to ensure that the most exacting quality is attained, beginning with sourcing from suppliers who provide us with paper which is either recycled or made from responsibly sourced* timber, to collaborating with printers behind exquisite laminate designs.

The final result is a product that is consistent in quality, incredibly durable and warp-resistant.

Anti-virus and Anti-bacterial Protection

Ultima laminates are treated with high-efficacy, anti-microbial agents, retarding and eliminating up to 99.9% of commonly found bacteria and viruses, including SARS CoV-2, which causes COVID-19.



Fire Retardant

Ultima laminates have been tested to achieve optimal fire-propagation reduction and surface spread-of-flame performance. Proof of certification is available upon request.



NSF Certification

Ultima laminates are certified according to the NSF^ food safety and environmental health standards, and are harmless upon direct contact with food.



A lifetime warranty
against manufacturing
defects comes with all
Ultima laminates.



Colours

COLOURS


01

Choose from the entire spectrum of colours that range from pretty pastels to electric hues. Our collection also

AFX

Say goodbye to fingerprint smudges. collection of laminates is scratch-resistant and can be easily wiped down to remove impurities and grease marks.


COLOURS



White X
AFX 9851
M L



Eden Grey
AFX 9852
M L



Anthracite
AFX 9853
M L




Dove
AFX 9854
N M L






Basalt Grey
AFX 9855

N M L



Coffee Bean
AFX 9856

N M L




Sea Weed
Green
AFX 9859

N M L



Twilight
Blue
AFX 9860

N M L



Black X
AFX 9861

M L



Titan
AFX 9862

N M L

Sizes 1220 x 2440 mm
1220 x 3050 mm

Thickness 1.0 mm and above

Also available in compact thickness.



Anti-fingerprint



Matt surface with low light



Soft Touch



Highly resistant to chemicals



Scratch Resistant



Hygienic



Food-contact Suitable



Easy to clean



Mould Resistant



Hydro-repellant



Write & Erase

Transform a plain wall into an interactive surface with our Write & Erase collection. These playful yet functional laminates allow you to write and draw on the walls with either chalk or dry erase markers.

COLOURS




White
MG 101



Dark Grey
CG 261



Army Green
CG 354



Black
CG 401

Sizes 1220 x 2440 mm

Thickness 0.8 mm

Available in Green, Grey and Black for chalk grade, and White for marker grade.



Economic alternative writing board for schools



Ensures long-lasting readability




No ghost effect of marker ink after usage

COLOURS

High Definition Gloss

Developed with unrivalled technology, our High Definition Gloss laminates are resistant to scuffing, abrasion, and colour-fading, for long-lasting performance. These Laminates can be used horizontal as well as vertical.



Pine Nut
HGA 274

Satin

Smooth to the touch and extremely tactile, the satin finishes invite you to brush your finger tips on the surface.



Green Pepper
SAT 244



Bark
SAT 182



Pine Nut
SAT 274



Cyclone
SAT 132



Smog
SAT 269



Charcoal
SAT 277



London Grey
SAT 465



Grey Sand
SAT 265



Fog
SAT 296



Cloud
SAT 272



Sizes 1220 x 2440 mm

Thickness 1 mm

High Definition
Gloss



Superior Gloss
Level for that Best-
in-class sheen



Resistant to regular
and micro scratches
for long-lasting
pristine appearance



Ideal for Vertical
and Horizontal
Application

Sizes 1220 x 2440 mm

Thickness 0.8 - 1mm

Available in Suede
or Gloss



100% solid colour
even in the core of
the laminate not just
the surface



Offers abrasion of
over 3000 cycles



Discard brown
edges like in
regular laminates


Suede

Our standard texture with a moderate sheen. With its versatility, it is the most widely used - easy to complement and integrate with any design and space.

COLOURS



Sky Blue
GSB 283



Sky Grey
GSC 273




Light Blue
GSC 282




Sea Green
GSC 243



Pink
GSC 168



Pearl Grey
GSA 275
M L E



Bluish Grey
GSB 267




Dust
GSB 268
M L E




Ash Grey
GSC 266
M L




Smog
GSC 269



Tidal Sand
GSC 148



Doeskin
GSC 145




Brick
GSC 205
N



Bark
GSC 182
N




Green Pepper
GSC 244
N



Designer
White
GSB 111
M L E



Wool
GSB 107
D M L



Moonstone
GSC 133
D M L E

Patterns

PATTERNS

02

With a wide range of patterns and textures, our laminates have been designed for every occurring stones like marble and granite to man-made materials like textiles and concrete. All the patterns on Ultima laminates are the result of the layer of decor paper that is infused on the laminate. With our advanced printing technology, the materials we replicate, resulting in ultra-realistic surfaces that are almost indistinguishable from the original.

Can't find
what you
want?

Flex your creativity and customise your own designs. With Ultima Custom Laminates, you can add your own print or pattern to our world-class laminates. Whether it's a large-scale photograph, a personalised illustration or a unique design, our superior digital technology allows you to convert your creativity into your very own unique laminates.



Fabric

Introduce a gentler palette into your space with our collection of textile laminates.



Armour Taupe
GPA 938

Stone

Stones are everywhere. Be it natural terrazzo, sandstone or concrete, these are the flavour of interior industry now.



Sandstone Grey
GFO 5580




Sanganer Terracotta
HGP 5598



Sanganer Terracotta
PJP 5598



Ecuador White
SIR 5618



Sanganer Pearl
HGP 5597



PATTERNS




City Chic
GCN 5610



Euclid Grey
SIR 5605



Steel Oxid
GFO 5856



Copper Taint
GFO 5854



Marble


Whether you're looking for luxurious marble or urban rock, you can easily harness the raw power of stone finishes with our ultra realistic laminates.

PATTERNS



Classic Marbella
PAT 5560


N



Victoria White
HGP 5585



Statuario
HGA 5574




Statuario
PJP 5574

N



Visconti
PJP 5583

N



Grey Marquina
HGP 5572



Azores
HGP 5586



Black Marmor
HGA 5575



Manitoba
PAT 5596

N

Tactile

Time to unleash your creativity with a highly tactile finishing such as exotic leathers and rough-hewn concrete.




Pearl Grey
SJP 275



Black
GSH 401

Metals & Pearlescents

Whether you opt for brushed metal or speckled pearl, this collection of laminates leaves a lasting impression that shimmers and shines.




Silver Foil
GEM 9001



Gold Foil
GEM 9002



Bronze Foil
GEM 9003



Steel Foil
GEM 9009



Copper Foil
GEM 9006

Woods

WOODS

03




Crown

Tangential cuts along the growth rings of the log produce crown cut woodgrain with a pattern that is characterised by straight grains intermixed with cathedrals. The looks of crowns and knots are bold and distinctive, giving a unique character to the woodgrain.



Partial Crown

Similar to crown design, it is cut vertically in the middle along with the ripple, leaving only half of the long, thin crown rings. The result is a woodgrain that has retained its natural look, with less complexity.



Straight

For those desiring simpler, clean design, straight woodgrains are the perfect answers. The lines have a slight wave, adding some variety to the pure wood design that come with no knots or crown.



Horizontal

Play with directions and have your woodgrains laid horizontally. These are great for on long horizontal pieces, drawing the eye down to highlight width, and at the same time avoiding joint lines on long vertical pieces.

Light

Clean lines and neutral colours set the stage for minimalist spaces that encourage quiet contemplation.



Wool
WBR 107

C



Glacier
WSN 5416

S



Silver Gum
WBR 5429

S



Biscotti
WVB 5328

P



Sulphur
Spring
GWC 5026

S



White Larch
GWC 5007

D P



Oslo
WAR 5391

N P



White Ash
WVB 5310

P



Sweet
Almond
WBR 5431

P



Munich
Acacia
GWK 774

P


Grey

Subtle to elegant, grey woods have been making a statement in interior surfacing for the last few years. Used alone or paired with any other color tone, these are the designers most favourite.




Sicilian Oak
CDZ 5405

P



Construct Oak
CTL 5432

S



Innate Ash
WVB 9611

M L S



Livid Teak
WVB 9605

M P



Aspen Oak
WAR 5373

C



Jakarta Teak
GWK 778

F



Avignon Grey
CDZ 5422

S



Savanna Brown
WVB 5448

F



Habitat
WSN 5417

S




Chelsea Chestnut Anthracite
TRC 5383

P


Dark

Sensual and stylish, these duskiest shades of wood can highlight the edginess and contrasts of the surrounding areas.




Real Ebony
GWD 788

S



Teak Ebony
WVB 9609

S



Black Forest
TRC 5380

F



Black
WBR 401

C

Honey

The rich and robust colours of these statement-making finishes will bring warmth and gravitas to any space.



Louisiana Oak
CTL 5082

S



Modern Oak
GWE 5392

N C



Charleston
GWE 5393

N P



Nordic Walnut
WVB 5333

C



Silvi Teak
TRC 5443

S



Urban Oak
GWE 5395

N C



Urban Oak
WAR 5395

N C



Sherwood Oak
WAR 5348

P



Philippine Teak
GWC 5003

D M L E S



Pure Elm
WVB 5080

P



Siber Elm
CDZ 5454

N S



Chelsea Chestnut
Brown
TRC 5382

P



Brunette

Embrace the versatile nature of classic wood finishes and traditional tones, and the myriad of ways they can enhance a space.



Thansau Maple
GWB 5006

L E P




European White Elm
GWC 728

S




Cherry Seta
GWA 681

C




Urbane Banana
GWE 5314

N S



Oak Fissure
GWE 5309

N C



American Walnut
GWC 608

D C




Brooks Walnut
GWC 5018


D M L E S





Cardi Elm
SY1 5351





Rovigo Elm
SY1 5352





Rosenheim Elm
SY1 5353



Synchro

A uniquely textured laminate, where the texture runs exactly as per the design with the finest details.




Valencia Ash
SY2 5355

Toledo Ash
SY2 5356




Samara Oak
WPP 5524



Hampshire Oak
WVB 5520



Horizontals

Give a little twist to your furniture. Rotate the design. Here are a set of designs with the grains running horizontally from end to end.



White Teak
GWE 5527



Distress


Whether it's salvaged from the sea or weathered by the environment, these distressed wood finishes are brimming with personality.




Cabana Wood
WVB 5371




Oak Radiance
WVB 5316



Honey Ash
WBR 5430



Banana Wood
GWE 5313



Banana Wood
WVB 5313



Rift Oak
WVB 5308



Cottage Oak
WVB 5374



Texas Rodeo
GWK 5376



Liro Sap
WVB 5343

APPROVED, ACCREDITED
AND AWARDED

The quality of Ultima laminates is acknowledged by authorities to conform to recognized high quality standards. We are proud to present the results here.

LD3-2005	Physical Properties	NEMA Requirement	Greenlam Value
	Thickness	0.8mm (VGS)	0.8mm (VGS)
	Thickness tolerance	+/- 0.1	+/- 0.1
3.3	Light Resistance (Xenon Arc)		
3.4	Resistance to Staining Cleanability Stain 1 to 10 Stain 11 to 15	Sum of Score (20 Max)	9
3.5	Boiling Water Resistance		
3.6.3	High Temperature Resistance		
3.7.2	Linear Glass Scratch Resistance	<20 / 50 / 100 / 200	<200
3.7.3	Diamond Scratch Resistance	1 / 2 / 3 / 4 / 5	3
3.8	Ball Impact Resistance	500mm	700mm
3.9	Dart Impact Resistance	200mm	700mm
3.10.2	Radiant Heat Resistance (Coil)	80 sec	188 sec
3.10.3	Radiant Heat Resistance (Strip)	80 sec	143 sec
3.11	Dimensional Change (Machine Direction)	0.70% (Max)	0.45%
	Dimensional Change (Cross Direction)	1.20% (Max)	0.72%
	Dimensional Stability (MD)	0.60% (Max)	0.31%
	Dimensional Stability (CD)	1.10% (Max)	0.41%
3.12	Wear Resistance	400 cycles (min)	>750
3.13			

the requirements of NEMA LD3-2005.

GREENLAM® Laminates also meet ISO 4586-1-1991, BSEN 438 - 2 : 2005 & IS 2046 - 1995 standards.

Laminates featured in this catalogue are available in size 1220mm x 2440mm x 0.8mm, unless otherwise stated.

For any other sizes, please check with our team for more information.

GREENLAM®

ULTIMA HEADQUARTERS

69 The Concourse,
Henderson,
Auckland, 0610

info@ultima.nz
09 837 4587

Maintaining the luminous shine and looks of Ultima laminates is easy. Just follow these simple methods for optimal durability of the laminates:

CLEANING
PROCESS



A damp cloth or sponge is all you need. You can also use a mild soap or detergent to clean the surface.



easily removed using a mild household cleaner or detergent.



exerting too much force may damage the decorative surface, especially

PRECAUTION



Oven or drain cleaners will etch and discolour the decorative surface. If the product spills, remove immediately, rinse and wipe dry.



Protect the surface from the heat generating appliances by using a trivet or insulated pad. Prolonged exposure to high temperature may result in separation of the laminate from the substrate.



Never use knives or other sharp objects directly on a decorative surface.



Be careful not to drop heavy objects or hammer directly on the surface. Even though high-pressure decorative laminates have excellent impact resistance, chipping or cracking may occur as a result.

About Our Supplier Greenlam

Among the world's top three producer of laminates, Greenlam Laminates brings a legacy of exceptional artistry, unsurpassed quality and unyielding passion for excellence to the table. With a production capacity of 24.5 million sheets every year, they have always ensured that superior quality products are available to you. Innovative technology and creative solution have been our guiding principles from day one.

Professionals such as architects, interior designers and end consumers can rely on us to immerse their decor ideas with elegance and character.

They have a team of over 4,500 employees and a network of over 20,000 dealers and distributors to thank for maintaining our level of excellence and commitment. Their esteemed list of clients inspire us to innovate and ideate towards delivering the best.





09 837 4587
info@ultima.nz
www.ultima.nz